

L Number	Hits	Search Text	DB	Time stamp
1	2	20040015260.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/30 18:02
2	1618	700/196.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/30 16:22
3	784	(JOSEPH near2 DANIEL).in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/30 14:37
4	12	(JOSEPH near2 DANIEL near2 R).in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/30 15:13
5	2	6592786.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/30 19:55
6	9	("4140460" "4246212" "5104593" "5352393" "5468134" "5525277" "5676893" "5891383" "6293778").PN.	USPAT	2004/08/30 15:13
7	2957	700/9,13,19,56-59,67,78,95,96.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/30 16:22
8	7	700/196.ccls. and 700/9,13,19,56-59,67,78,95,96.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/30 16:24
9	3482	264/40.1,40.3,40.6,40.7,406-408.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/30 16:31
10	1175	425/140,141,174.2.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/30 16:31
11	8857	700/196.ccls. or 700/9,13,19,56-59,67,78,95,96.ccls. or 264/40.1,40.3,40.6,40.7,406-408.ccls. or 425/140,141,174.2.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/30 16:32
13	34554	extrud\$5 with tub\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/30 20:15
14	88	(extrud\$5 with tub\$3) and (position with (feed-back or (feed\$3 near2 back) or feedingback or feedback))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/30 18:05

15	171	((extrud\$5 with tub\$3) and ((position\$3 or siz\$3 or locat\$5) with (feed-back or (feed\$3 near2 back) or feedingback or feedback)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/30 18:44
16	27	(700/196.ccls. or 700/9,13,19,56-59,67,78,95,96.ccls. or 264/40.1,40.3,40.6,40.7,406-408.ccls. or 425/140,141,174.2.ccls.) and ((extrud\$5 with tub\$3) and ((position\$3 or siz\$3 or locat\$5) with (feed-back or (feed\$3 near2 back) or feedingback or feedback)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/30 19:43
17	5	((JOSEPH near2 DANIEL near2 R).in.) and ((extrud\$5 with tub\$3) and ((position\$3 or siz\$3 or locat\$5) with (feed-back or (feed\$3 near2 back) or feedingback or feedback)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/30 18:48
19	236	(extrud\$5 with tub\$3) and ((position\$3 or siz\$3 or locat\$5 or dimension\$3 or diameter or thickness) with (feed-back or (feed\$3 near2 back) or feedingback or feedback or (control\$4 near2 loop\$3)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/30 19:12
20	10	((JOSEPH near2 DANIEL near2 R).in.) and ((extrud\$5 with tub\$3) and ((position\$3 or siz\$3 or locat\$5 or dimension\$3 or diameter or thickness) with (feed-back or (feed\$3 near2 back) or feedingback or feedback or (control\$4 near2 loop\$3))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/30 19:20
21	237	(extrud\$5 with tub\$3) and ((position\$3 or siz\$3 or locat\$5 or dimension\$3 or diameter or thickness or circumferen\$7) with (feed-back or (feed\$3 near2 back) or feedingback or feedback or (control\$4 near2 loop\$3)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/30 19:41
23	4	((JOSEPH near2 DANIEL near2 R).in.) and ((extrud\$5 with tub\$3) and ((position\$3 or siz\$3 or locat\$5 or dimension\$3 or diameter or thickness or circumferen\$7) with (feed-back or (feed\$3 near2 back) or feedingback or feedback or (control\$4 near2 loop\$3)))) and lay-flat	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/30 19:20
22	10	((JOSEPH near2 DANIEL near2 R).in.) and ((extrud\$5 with tub\$3) and ((position\$3 or siz\$3 or locat\$5 or dimension\$3 or diameter or thickness or circumferen\$7) with (feed-back or (feed\$3 near2 back) or feedingback or feedback or (control\$4 near2 loop\$3))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/30 19:42
25	4	((JOSEPH near2 DANIEL near2 R).in.) and ((extrud\$5 with tub\$3) and ((position\$3 or siz\$3 or locat\$5 or dimension\$3 or diameter or thickness or circumferen\$7) with (feed-back or (feed\$3 near2 back) or feedingback or feedback or (control\$4 near2 loop\$3)) with (collaps\$3 or flat\$9)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/30 19:42
26	4	(700/196.ccls. or 700/9,13,19,56-59,67,78,95,96.ccls. or 264/40.1,40.3,40.6,40.7,406-408.ccls. or 425/140,141,174.2.ccls.) and (((JOSEPH near2 DANIEL near2 R).in.) and ((extrud\$5 with tub\$3) and ((position\$3 or siz\$3 or locat\$5 or dimension\$3 or diameter or thickness or circumferen\$7) with (feed-back or (feed\$3 near2 back) or feedingback or feedback or (control\$4 near2 loop\$3)) with (collaps\$3 or flat\$9))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/30 19:43
24	7	(extrud\$5 with tub\$3) and ((position\$3 or siz\$3 or locat\$5 or dimension\$3 or diameter or thickness or circumferen\$7) with (feed-back or (feed\$3 near2 back) or feedingback or feedback or (control\$4 near2 loop\$3)) with (collaps\$3 or flat\$9)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/30 20:26
27	9	("4140460" "4246212" "5104593" "5352393" "5468134" "5525277" "5676893" "5891383" "6293778").PN.	USPAT	2004/08/30-19:52
28	4	5676893.URPN.	USPAT	2004/08/30 19:54

47	7	(extrud\$5 with tub\$3) and (lay-flat with (sens\$3 or detect\$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/30 20:01
48	6	4192637.URPN.	USPAT	2004/08/30 20:03
12	48	700/196.ccls. and (700/9,13,19,56-59,67,78,95,96.ccls. or 264/40.1,40.3,40.6,40.7,406-408.ccls. or 425/140,141,174.2.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/30 20:05
49	45269	extrud\$5 with (tub\$3 or pip\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/30 20:15
50	338	((position\$3 or siz\$3 or locat\$5 or dimension\$3 or diameter or thickness or circumferen\$7) with (feed-back or (feed\$3 near2 back) or feedingback or feedback or (control\$4 near2 loop\$3) or detect\$4 or sens\$4) with (collaps\$3 or flat\$9) with (prior or before or preceed\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/30 20:33
52	7	((((position\$3 or siz\$3 or locat\$5 or dimension\$3 or diameter or thickness or circumferen\$7) with (feed-back or (feed\$3 near2 back) or feedingback or feedback or (control\$4 near2 loop\$3) or detect\$4 or sens\$4) with (collaps\$3 or flat\$9) with (prior or before or preceed\$3)))) and (700/196.ccls. or 700/9,13,19,56-59,67,78,95,96.ccls. or 264/40.1,40.3,40.6,40.7,406-408.ccls. or 425/140,141,174.2.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/30 20:33
51	15	((((position\$3 or siz\$3 or locat\$5 or dimension\$3 or diameter or thickness or circumferen\$7) with (feed-back or (feed\$3 near2 back) or feedingback or feedback or (control\$4 near2 loop\$3) or detect\$4 or sens\$4) with (collaps\$3 or flat\$9) with (prior or before or preceed\$3)))) and (264/\$.ccls. or 425/\$.ccls. or 700/\$.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/30 20:31
53	12198	((position\$3 or siz\$3 or locat\$5 or dimension\$3 or diameter or thickness or circumferen\$7) with (feed-back or (feed\$3 near2 back) or feedingback or feedback or (control\$4 near2 loop\$3) or detect\$4 or sens\$4) with (collaps\$3 or flat\$9))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/30 20:34
54	7	(((((position\$3 or siz\$3 or locat\$5 or dimension\$3 or diameter or thickness or circumferen\$7) with (feed-back or (feed\$3 near2 back) or feedingback or feedback or (control\$4 near2 loop\$3) or detect\$4 or sens\$4) with (collaps\$3 or flat\$9) with (prior or before or preceed\$3)))) and (700/196.ccls. or 700/9,13,19,56-59,67,78,95,96.ccls. or 264/40.1,40.3,40.6,40.7,406-408.ccls. or 425/140,141,174.2.ccls.)) and (700/196.ccls. or 700/9,13,19,56-59,67,78,95,96.ccls. or 264/40.1,40.3,40.6,40.7,406-408.ccls. or 425/140,141,174.2.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/30 20:33
55	45	((((position\$3 or siz\$3 or locat\$5 or dimension\$3 or diameter or thickness or circumferen\$7) with (feed-back or (feed\$3 near2 back) or feedingback or feedback or (control\$4 near2 loop\$3) or detect\$4 or sens\$4) with (collaps\$3 or flat\$9))) and (700/196.ccls. or 700/9,13,19,56-59,67,78,95,96.ccls. or 264/40.1,40.3,40.6,40.7,406-408.ccls. or 425/140,141,174.2.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/30 20:34
56	1414	((position\$3 or siz\$3 or locat\$5 or dimension\$3 or diameter or thickness or circumferen\$7) with (feed-back or (feed\$3 near2 back) or feedingback or feedback or (control\$4 near2 loop\$3) or detect\$4 or sens\$4) with (collaps\$3 or flatten\$4 or flaten\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/30 20:34
57	30	((((position\$3 or siz\$3 or locat\$5 or dimension\$3 or diameter or thickness or circumferen\$7) with (feed-back or (feed\$3 near2 back) or feedingback or feedback or (control\$4 near2 loop\$3) or detect\$4 or sens\$4) with (collaps\$3 or flatten\$4 or flaten\$4))) and (700/196.ccls. or 700/9,13,19,56-59,67,78,95,96.ccls. or 264/40.1,40.3,40.6,40.7,406-408.ccls. or 425/140,141,174.2.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/30 20:34